


//







- empty dustbox E/dustbag E regularly for optimal dust pick-up performance
- ! **do not use dustbox/dustbag when sanding metal**
- On/off switch
 - switch on/off the tool by pushing switch F 2 forward/backwards
 - ! **before the sanding surface reaches the workpiece, you should switch on the tool**
 - ! **before switching off the tool, you should lift it from the workpiece**
- Spot light 9 (7208)
Spot light G automatically lights on when activating switch F
- Holding and guiding the tool O
 - ! **while working, always hold the tool at the grey-coloured grip area(s)**
 - guide the tool parallel to the working surface
 - ! **do not apply too much pressure on the tool; let the sanding surface do the work for you**

. 06

06: EN 0 745, EN 55 014,

6

2006/95/EC,

 08 SKIL Europe BV A. v.d. Kloot

DECLARAȚIE DE CONFORMITATE CE Declărăm pe proprie răspundere că acest produs este conform cu următoarele standarde sau documente standardizate: EN 60 745, EN 55 014, în conformitate cu regulile 2006/95/CE, 2004/108/CE, 98/37/CE (până la 28.12.2009), 2006/42/CE (începând cu 29.12.2009).

ZGOMOT/VIBRAȚII Măsurat în conformitate cu EN 60 745 nivelul de presiune a sunetului generat de acest instrument este de 71 dB(A) iar nivelul de putere a sunetului 82 dB(A) (abaterea standard: 3 dB), iar nivelul vibrațiilor 14,3 m/s² (metoda mină - braț; incertitudine K = 1,5 m/s²).



ACCESSORIES

					2610393848
	10x				2610393849
		10x			2610393850
				10x	2610393759
	5x	5x		5x	2610390730
					2610393324
	2x	2x		2x	2610393325
					2610393325
	8x	8x		8x	2610393325
					2610393325
	5x	5x		5x	2610393325
2610393756		3x	2610393757	3x	2610393376
2610393758		3x	2610393377	3x	2610393378
2610393755		3x	2610393379	3x	2610393380
					2610393847